


# **LUMIRROR® U6E**

### **Applications**

- · Embossable film
- Holographic



## SUPER CLEAR THREE LAYER PET FILM, ONE SIDE EMBOSSABLE COATING

### Summary

U6E is a super clear polyester film that has a unique and proprietary coating that allows the film to be directly embossed.



### ✓ Technical Data \*

PROPERTIES		METHOD	UNITS	TYPICAL VALUES		
Thickness		-	micron	15.3	23.4	50.8
Nominal Yield		-	m2/kg	46.7	30.5	14.1
F-5	MD	ASTM D882	Mpa -	105	106	105
	TD			113	103	101
Tensile Strength at Break	MD	ASTM D882	Мра <b>-</b>	228	215	180
	TD			285	249	219
Elongation at Break	MD	ASTM D882	% -	150	170	180
	TD			100	130	130
Heat Shrinkage (150°C for 30 minutes)	MD	ASTM D1204	% -	1.6	1.3	0.8
	TD			1.5	0.9	0.7
Heat Shrinkage (190°C for 20 minutes)	MD	ASTM D1204	% -	4.6	2.8	1.9
	TD			3.9	1.6	1.2
Coefficient of Friction	A-side vs. B-side	ASTM D1894	$\mu_{s}$	0.4	0.4	0.4
			$\mu_{D}$	0.3	0.3	0.3
Haze (1 sheet)		ASTM 1003	%	0.9	1.0	1.2

### The product described is covered by one or more of the following patents or patents pending: US 6761958, US 6737170


#### Key Features

- · Directly embossable
- Co-extruded three layer structure allows very low haze and friction

#### Similar Products

U6E1

### Winding Direction



#### \* These values do not constitute specific binding specifications

DISCLAIMER: This information is believed to be correct as of the date of issue. Toray Plastics (America), Inc. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE AND TAKES NO RESPONSIBILITY REGARDING THE SUITABILITY OF THIS INFORMATION FOR THE USER'S INTENDED PURPOSES OR FOR THE CONSEQUENCE OF ITS USE. User is responsible for determining whether the Toray Plastics (America), Inc. product is fit for a particular purpose and suitable for user's method or use of application. Given the variety of factors that can affect the use and application of Toray Plastics (America), Inc. products, which are uniquely within the user's knowledge and control, it is essential that the user make its own tests to determine the safety and suitability of each Toray Plastics (America), Inc. product or product combination for its own purpose.

Lumirror \* is a registered trademark of Toray Industries, Inc. for its range of Polyester Films based on Polyethylene Terephthlate (PET).